

Owner's Manual for
Ideal Conceal® IC9mm Model
IC9mm 9mm Caliber
USA Patents 10, 151, 556; D819157
Patents Pending



Ideal Conceal® Inc.

www.IdealConceal.com

888.409.GUNS (4867)

Connect@IdealConceal.com

Proudly Made in the USA

Notice

This user Manual (“User Manual” or “Manual”) is for the IC9mm model 9mm caliber firearm (the “IC9mm”) made in the USA by Ideal Conceal[®] Inc. (“Company” or “Ideal Conceal”). Read this Manual and the warnings contained in it before loading or using the IC9mm. Even if you are an experienced user of similar firearms, you must read this entire Manual prior to using the IC9mm. Transfer this Manual with the firearm upon any change in ownership.

The IC9mm is a firearm sold by Ideal Conceal[®] with the specific understanding that the Company is not responsible whatsoever for the safe handling or resale under local laws and regulations. This Manual provides guidelines for the safe use and handling of the IC9mm.

We recommend that you seek competent firearms instruction before attempting to use this gun.

Ideal Conceal[®] offers the attached Manufacturer’s Warranty. Section VI on page 11 describes limitations on liability, remedies, and the scope of warranties. Ideal Conceal assumes no responsibility for product malfunction, physical injury, death, or property damage resulting in whole or in part from criminal, negligent, or improper use of the product.

Any changes or modifications to this firearm will void the user’s warranty.

Another copy of this User Manual and Manufacturer’s Warranty is available free for download at www.IdealConceal.com/support/

It is your sole responsibility to know and obey all local, state, and federal firearm laws, some of which may vary from city to city and state to state. Moreover, firearms laws are subject to change. If use or possession of this firearm is, or becomes, unlawful, or subject to any restrictions in your jurisdiction, compliance with such laws and regulations is your sole responsibility. Ideal Conceal® is not responsible or liable for any purchases made with the intent to possess or use the IC9mm in any jurisdiction where the product is, or becomes, restricted or prohibited. For more information, please visit www.IdealConceal.com.

ALL FIREARMS ARE DANGEROUS. BE A RESPONSIBLE FIREARM OWNER, USE IT SAFELY, STORE IT SECURELY, AND ALWAYS USE AND TRANSFER A FIREARM RESPONSIBLY AND LEGALLY.



Ideal Conceal®, Inc.
4280 School Boulevard
Monticello, MN 55362
888.409.GUNS (4867)
Connect@idealconceal.com
www.IdealConceal.com

USA Patents 10, 151,556; D819157, Patents Pending

TABLE OF CONTENTS

I.	SAFETY INFORMATION & GENERAL WARNINGS	1
II.	IC9mm SAFETY & RISK FACTORS	3
III.	PRODUCT DESCRIPTION & CONTENTS	4
A.	PARTS OF THE FIREARM	4
B.	LOADING	5
C.	UNLOADING.....	7
D.	AIMING & FIRING	8
E.	DISASSEMBLY & MAINTENANCE	8
F.	AMMUNITION.....	9
IV.	EXPLODED VIEW AND PARTS LIST	10
V.	PATENT INFORMATION	11
VI.	WARRANTY AND SERVICE	11
A.	WARRANTY	11
B.	REQUESTING SERVICE OR REPAIR.....	11
C.	LIMITATIONS OF LIABILITY AND WARRANTY	12

I. SAFETY INFORMATION & GENERAL WARNINGS

IMPORTANT: Read ALL of the instructions and warnings in this Manual carefully before using this firearm. **SAFETY IS YOUR RESPONSIBILITY.**

Ten Rules of Safe Firearm Handling:

1. Always keep the muzzle pointed in a safe direction.
2. Firearms should be unloaded when not actually in use.
3. Don't rely on your firearm's safety mechanism.
4. Be sure of your target and what is beyond it.
5. Use correct ammunition for your firearm.
6. If your firearm fails to fire when the trigger is pulled, handle with care, especially when unloading.
7. Always wear eye and ear protection when shooting.
8. Be sure the barrel is clear of obstructions before shooting.
9. Don't alter or modify your firearm and have your firearm serviced regularly.
10. Learn the mechanical and handling characteristics of the firearm you are using.

General Warnings

- Firearms are very dangerous and can cause serious injury or death if they are misused or used inappropriately. Safe gun handling habits will ensure safety, and safe habits are your responsibility.
- Accidents are usually the result of violating the rules of safe firearm handling and common sense.
- Read the entire Manual carefully before using this firearm and make sure that any person using or having access to this firearm reads and understands this Manual and its instructions and warnings prior to accessing or using the firearm.
- Always make certain that the firearm is safely secured in a manner so as to prevent

unauthorized access or use. Never leave this firearm unattended, accessible, or loaded around children.

- Always keep your firearms in a safe place, out of reach of children, and always store this firearm and ammunition separately.
- Always store your firearm unloaded.
- Always treat a firearm as if it were loaded.
- For your safety and the safety of others, never rely solely on mechanical safety features for a firearm. Mechanical safety mechanisms are not a substitute for careful, correct, and secure handling of this, or any, firearm.
- Never use alcohol or drugs before or while shooting. Do not use your firearm if you are ill or on any medication which impairs, even slightly, your mental or physical ability.
- Owners and users of the firearm are fully responsible for cleaning, general care and the condition of the firearm.
- Never shoot the firearm if it has been penetrated or contaminated by water, sand, dirt, or other foreign bodies.
- Never place your finger on the trigger unless you are ready to shoot the firearm.
- Unload your firearm if you do not intend to shoot it immediately.
- Never shoot at hard surfaces, panes of glass, at water, or up into the sky. A bullet can penetrate these surfaces or substances and/or be ricocheted in an unsafe and uncontrolled direction.
- Always be aware of the locations of any other people so that persons cannot accidentally walk into the line of fire.
- Firearm safety training is available. Contact your dealer, the National Rifle Association (NRA), your local law enforcement agency, or local sportsman's club for availability. Appropriate use of your firearm means using your firearm for only legal purposes. Legal purposes include target shooting and lawful resistance of deadly criminal force.


II. IC9mm SAFETY & RISK FACTORS

- To load, unload, store, or carry this gun safely, the handle must be in the closed position, as the handle being closed is equal to the “SAFETY ON” mode. Failure to keep the handle closed can result in accidental discharge causing serious injury or death.
- Never dry fire the IC9mm (firing the gun with no ammo in the chambers). Dry firing damages the firing pins and mechanisms and is done at the risk of the user. Always use snap-caps if you want to dry fire.
- The IC9mm resembles a cellphone and may visually appeal to children. Take specific care to ensure that the firearm is never left unattended, accessible, or loaded around children.
- Familiarize yourself with the mechanical features of IC9mm. You must determine which features are present in your specific IC9mm and how those features operate. Various models of the IC9mm may be fitted with distinct features, which may include, for example, a sighting laser or other features. If you feel uncertain about any operational aspects of your handgun, please contact Ideal Conceal® at the phone number listed at the beginning of this Manual before proceeding with its operation.
- Never manipulate, adjust, or change any of the internal components of your firearm.
- Manipulation of any internal component may affect the safety and reliability of your firearm and may cause malfunctions or lead to serious injury or death. Any work or repair work should only be performed by a qualified gunsmith using genuine Ideal Conceal® parts. Improper manipulation or modification may cause malfunction, voids the Manufacturer’s Warranty, and may cause serious injury or death.
- Be sure all accessories, such as holsters and grips, are compatible with the firearm and that the accessories do not interfere with safe operation. Use factory standard 9mm caliber ammunition for the IC9mm, which is indicated by markings on the barrel.
- Safety glasses and hearing protection should be worn at all times, and remember, carelessness causes calamity. Learn to be a safe shooter so that you can enjoy this firearm for many years.


- Do not drop or mishandle this gun when loaded, as it may fire if dropped.

III. PRODUCT DESCRIPTION & CONTENTS

A. PARTS OF THE FIREARM



To unfold the IC9mm into a shooting position, first ensure that the muzzle of the firearm is always pointed in a safe direction. Next, grip and rotate the handle away from the body of the firearm, as shown in the images above. When fully extended, the handle will lock in place. Confirm that the handle is fully open and locked into place prior to loading, unloading, or firing the IC9mm.




Folded Handle Position

To return the handle to the closed position, simply depress the handle lock buttons on each side of the handle and rotate the handle in the opposite direction toward the body of the firearm. Once the handle begins to close, the handle lock buttons should be released, and the handle can be rotated into a closed position. Do not force the handle closed without first depressing the handle lock buttons. Before folding the firearm for storage or transport, first confirm that the firearm is unloaded. Use a dri-lube or dry-lube for best results.


B. LOADING

To load the IC9mm, first (i) open the breach block by sliding the breach block latch away from the muzzle and rotating the breach block away from the latch. Next, (ii) insert two 9mm caliber rounds into the dual chambers. Finally, (iii) close the breach block by rotating the breach block into a closed position, as shown in the image below. Always be certain that the breach barrel latch is fully closed and engaged before firing.


(i) Open Breach Block Latch



(ii) Insert Two 9mm Caliber Rounds



(iii) Close Breach Block Latch




Never load or unload the firearm inside a vehicle, a building, or any other enclosed space (except in a designated firing range). Before loading the firearm, wipe away any excess grease or foreign substance, and visually confirm that there are no objects or other materials inside the barrel or internal breach block area.

Do not put your finger on the trigger until the firearm is pointed in a safe direction and you are prepared to fire!

C. UNLOADING

To unload the IC9mm, use the same procedure as outlined above in Section II(B) to open the breach block. Cartridges are removed from the chambers by pressing down with even easy pressure on the extractor on the side of barrel and sliding it rearward, away from the muzzle.

NEVER PLACE YOUR HAND IN FRONT OF THE BARREL DURING EJECTION OR UNLOADING, ESPECIALLY IF THERE ARE UNFIRED BULLETS IN THE CHAMBER.



D. AIMING & FIRING

With the muzzle pointed in a safe direction and your finger outside the trigger guard, take aim at a safe target. When prepared to fire, place your finger on the trigger, and squeeze the trigger until the round is fired. Once the trigger is released, you may fire another round by repeating this process or unload or reload the firearm.


E. DISASSEMBLY & MAINTENANCE

No disassembly is required to perform routine cleaning of the IC9mm, and any disassembly or modification of the firearm **will void the warranty**. Prior to cleaning, first ensure that the firearm is unloaded and always pointed in a safe direction. Never assume that the firearm is unloaded; visually inspect the chamber to ensure the chamber is clear and that there are no bullets in either chamber. It is recommended that the barrel and chamber be cleaned after firing, and the remainder of the firearm be wiped clean of any debris. To gain access to the interior of the firearm receiver for cleaning, open the breach block by sliding the breach block latch away from the muzzle and rotating the breach block away from the latch, as shown above in the diagram on the previous page, and in the diagram on following page. A light coat of lubricant may be applied to the pivot


points of the handle and breach block, and the bolt itself. A firearm that has not been properly cleaned may cause damage to the firearm and may further lead to **serious injury or death** to yourself and others.

F. AMMUNITION

The IC9mm was designed to fire standard factory 9mm caliber ammunition only. **WARNING:** Never use any ammunition with an incorrect gauge or caliber. Never use non-standard, reloaded, hot loaded, “Plus-P” (+P), “Plus-P-Plus” (+P+), or aftermarket ammunition. These types of ammunition may generate dangerous pressures within the gun, and can lead to **death, serious injury, and damage to the IC9mm.**



IV. EXPLODED VIEW AND PARTS LIST



- | | | | |
|-----|--------------------|-----|----------------------------|
| 1. | Frame screws | 11. | Barrel block pin |
| 2. | Grip lock open | 12. | Pawl lifter spring |
| 3. | Grip lock closed | 13. | Pawl lifter |
| 4. | Case side B | 14. | Firing pin assembly bottom |
| 5. | Laser bay cover | 15. | Firing pin assembly top |
| 6. | Barrel block | 16. | Grip lock open spring |
| 7. | State change cog | 17. | Trigger return spring |
| 8. | Barrel lock | 18. | Trigger assembly |
| 9. | Barrel lock spring | 19. | Grip |
| 10. | Receiver | 20. | Case side A |

V. PATENT INFORMATION

Patent pending. This product is covered by one or more patents, including U.S. Patents 10, 151, 556 and D819157. For more patent information, please visit www.IdealConceal.com/support/

VI. WARRANTY AND SERVICE

A. WARRANTY

Ideal Conceal® provides a manufacturer's limited warranty (the "Limited Warranty"), a copy of which is included in the product packaging, and which is further available at the following web address: www.IdealConceal.com/support/

B. REQUESTING SERVICE OR REPAIR

Please DO NOT send the firearm to us without first contacting us for a return authorization. You can request service under the Limited Warranty by emailing warranty@idealconceal.com and providing the information shown below in the Warranty Service Request Form, or by mailing the completed Form itself to: Ideal Conceal, Inc., 4280 School Blvd., Monticello, MN 55362.

If you are given a return authorization, you are responsible for shipping the firearm (**with tracking number provided**) to Ideal Conceal®. Carefully follow all instructions provided in the return authorization and send the firearm to Ideal Conceal® packed carefully, **unloaded**, in a heavy cardboard box. Ship the firearm to the address provided above; but if the address on the return authorization is different than the address above, then ship to the address listed on the return authorization. Firearms sent without prepaid shipping will not be accepted. Please make sure to include a printout of the Warranty Service Request Form so that we can communicate with you regarding the scope and status of the repairs.

ALWAYS UNLOAD THE FIREARM BEFORE SHIPPING

If your issue is not covered under the Manufacturer's Warranty, we will provide a "not-to-exceed" repair cost estimate for your approval before commencing repair. After repairs are complete, you will be invoiced for the actual cost of repairs up to the estimate.

When sending equipment in for repairs, please include the full product, including any malfunctioning pieces, to ensure all problems can be identified and necessary repairs can be completed.

Warranty Service Request Form

1. Problem description: _____

2. Customer Name and Address: _____
3. Contact Phone or Email: _____
4. Serial number of the IC9mm: _____

Please include proof of purchase with your service request.

C. LIMITATIONS OF LIABILITY AND WARRANTY

Your exclusive remedy for the breach of the Manufacturer's Warranty shall be for Ideal Conceal[®] to repair or replace the product. Under no circumstances will Ideal Conceal[®] have liability for a user's

unauthorized use or intentional misuse of the product under this warranty.

Under no circumstances shall Ideal Conceal[®], its affiliates, suppliers, resellers, or service providers be liable for any of the following, regardless of whether the claim is based in contract, warranty, negligence, strict liability, or any other theory of liability: (1) third party claims for damages; (2) loss, damage, or disclosure of data; (3) special, incidental, punitive, indirect, or consequential damages. In no case shall the total liability of Ideal Conceal[®], its affiliates, suppliers, resellers, or service providers for damages from any cause stemming from any theory of liability exceed the amounts paid by you for the original purchase of the firearm. For any jurisdiction that limits the limit or exclusion of liability by contract, this provision shall be interpreted to provide the greatest limitation on liability permitted by law. In no case shall the total liability of Ideal Conceal[®], its affiliates, suppliers, resellers, or service providers for damages from any cause exceed the amount of actual direct damages, not to exceed the amount the user paid for the product.

TO THE EXTENT PERMITTED BY LAW, EXCEPT AS EXPRESSLY PROVIDED IN THE MANUFACTURER'S WARRANTY, IDEAL CONCEAL[®] DISCLAIMS ALL WARRANTIES OF ANY KIND, WHETHER STATUTORY, EXPRESS OR IMPLIED, INCLUDING: (A) ANY IMPLIED WARRANTY OF MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE; AND (B) ANY WARRANTY ARISING OUT OF ANY COURSE OF DEALING, USAGE, OR TRADE. IDEAL CONCEAL[®] AND ITS AFFILIATES, SUPPLIERS, RESELLERS, AND SERVICE PROVIDERS DO NOT WARRANT, EXCEPT AS EXPRESSLY PROVIDED IN ITS MANUFACTURER'S WARRANTY, THAT THE PRODUCT, PRODUCT ACCESSORIES, OR ANY PORTION OF THE PRODUCT, OR ANY MATERIALS, WILL BE UNINTERRUPTED, SECURE, OR FREE OF ERRORS, OR OTHER HARMFUL COMPONENTS.

IF SUCH WARRANTIES CANNOT BE DISCLAIMED, IDEAL CONCEAL® LIMITS THE DURATION AND REMEDIES OF SUCH WARRANTIES TO THE DURATION OF THIS EXPRESS WARRANTY AND, AT IDEAL CONCEAL'S OPTION, THE REPAIR OR REPLACEMENT SERVICES PROVIDED IN THE MANUFACTURER'S WARRANTY.

21772099v1

NOTES: _____

Owner's Manual for
Ideal Conceal® IC9mm Model
IC9mm 9mm Caliber
USA Patents 10, 151, 556; D819157
Patents Pending



Ideal Conceal, Inc.

www.IdealConceal.com

888.409.GUNS (4867)

Connect@IdealConceal.com

Proudly Made in the USA